#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 02/02/2004 Revision date: 04/25/2022 Supersedes: 02/17/2022 Version: 1.0



#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : CW16 - FOAMING BRUSH DETERGENT

Product code : CW16

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Automotive Foaming Brush Detergent

#### 1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

#### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

#### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin Corr. 1 Causes severe skin burns and eye damage

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



GHS05

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns and eye damage

Precautionary statements (GHS US)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response : If swallowed: rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Specific treatment (see supplemental first aid instruction on this label).

Wash contaminated clothing before reuse.

Storage : Store locked up.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

#### 2.3. Other hazards

#### 2.4. Unknown acute toxicity (GHS US)

05/04/2022 EN (English US) Page 1

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/Information on ingredients**

#### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
Dodecyl benzene sulfonic acid	(CAS-No.) 27176-87-0	3 – 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Acute 2, H401
butyl glycolether	(CAS-No.) 111-76-2	1 – 3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Sodium hydroxide	(CAS-No.) 1310-73-2	1 – 3	Met. Corr. 1, H290 Skin Corr. 1, H314 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general advice (show the label where possible). Call a physician immediately.

Remove person to fresh air and keep comfortable for breathing. Allow affected person to First-aid measures after inhalation breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get immediate medical advice/attention. Rinse skin with water/shower. Remove/Take

off immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact

: If eve irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Do not induce

vomiting. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Causes skin irritation. Burns.

Causes serious eye irritation. Serious damage to eyes. Symptoms/effects after eye contact

Symptoms/effects after ingestion : Burns.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

: Do not enter fire area without proper protective equipment, including respiratory protection. Do Protection during firefighting not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Evacuate unnecessary personnel. Keep upwind. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

05/04/2022 EN (English US) 2/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. See Section 12 for additional Ecological information.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before

: vvasn nands, forearms and face thoroughly after handling. vvasn contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling

the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources. Keep container closed when not in use. Store locked up. Store in a well-

ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium hydroxide (1310-73-2)		
ACGIH	ACGIH OEL Ceiling	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) [1]	2 mg/m³

#### Dodecyl benzene sulfonic acid (27176-87-0)

Not applicable

butyl glycolether (111-76-2)		
ACGIH	ACGIH OEL TWA [ppm]	20 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) [1]	240 mg/m³
OSHA	OSHA PEL (TWA) [2]	50 ppm

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing.

05/04/2022 EN (English US) 3/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

Odor threshold : No data availab

pH : 8.5 - 9.5 pH solution : 1%

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density 1.03 : 8.57 lb/gal Density Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

#### 9.2. Other information

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

05/04/2022 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dodecyl benzene sulfonic acid (27176-87	7-0)
LD50 oral rat	1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))
LC50 Inhalation - Rat	0.31 mg/l air (4 h, Rat, Male, Read-across, Inhalation (aerosol), 14 day(s))
ATE US (oral)	1080 mg/kg body weight
butyl glycolether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1746 mg/kg body weight
ATE US (dermal)	435 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
kin corrosion/irritation	: Causes severe skin burns.
	pH: 8.5 – 9.5
Serious eye damage/irritation	: Assumed to cause serious eye damage
	pH: 8.5 – 9.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
spiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after skin contact	: Causes skin irritation. Burns.
symptoms/effects after eye contact	: Causes serious eye irritation. Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

12.1. Toxicity			
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.		
Ecology - water	: Harmful to aquatic life.		
Sodium hydroxide (1310-73-2)			
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)		
EC50 - Crustacea [1]	40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)		
Dodecyl benzene sulfonic acid (27176-87-0)			
LC50 - Fish [1]	4.1 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)		
EC50 - Crustacea [1]	2.5 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Similar product, Nominal concentration)		
ErC50 algae	65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)		

05/04/2022 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	911 mg/l (72 Hr.)

## 12.2. Persistence and degradability

CW16 - FOAMING BRUSH DETERGENT			
Persistence and degradability	Not established.		
Sodium hydroxide (1310-73-2)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Dodecyl benzene sulfonic acid (27176-87-	0)		
Persistence and degradability	Readily biodegradable in water.		
Chemical oxygen demand (COD)	2.41 g O <sub>2</sub> /g substance		
butyl glycolether (111-76-2)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.		
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance		
Chemical oxygen demand (COD)	2.2 g O₂/g substance		
ThOD	2.305 g O <sub>2</sub> /g substance		
BOD (% of ThOD)	0.31		

## 12.3. Bioaccumulative potential

CW16 - FOAMING BRUSH DETERGENT			
Bioaccumulative potential	Not established.		
Sodium hydroxide (1310-73-2)			
Bioaccumulative potential	Not bioaccumulative.		
Dodecyl benzene sulfonic acid (27176-87-0)			
BCF - Fish [1]	65 – 96 (OECD 305: Bioconcentration: Flow-Through Fish Test, 32 day(s), Pimephales promelas, Static system, Fresh water, Experimental value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (Weight of evidence approach, Equivalent or similar to OECD 107, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
butyl glycolether (111-76-2)			
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

## 12.4. Mobility in soil

Sodium hydroxide (1310-73-2)			
Surface tension	No data available in the literature		
Ecology - soil	No (test)data on mobility of the substance available.		
Dodecyl benzene sulfonic acid (27176-87-0)			
Surface tension	29.3 – 31.8 N/m (25 °C, 120 mg/l)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.96 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Calculated value)		
Ecology - soil	Low potential for mobility in soil.		
butyl glycolether (111-76-2)			
Surface tension	0.027 N/m (25 °C)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		

#### 12.5. Other adverse effects

Other information	: Avoid release to the environment.	
05/04/2022	EN (English US)	6/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 13: Disposal considerations

#### Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local/state/federal regulations...

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

#### **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

**EPA TSCA Regulatory Flag** 

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Sodium hydroxide (1310-73-2)				
Not subject to reporting requirements of the United States SARA Section 313				
CERCLA RQ	1000 lb			
Dodecyl benzene sulfonic acid (27176-87-0)				
Not subject to reporting requirements of the Unite	d States SARA Section 313			
CERCLA RQ	1000 lb			
Sulfuric acid (7664-93-9)				
Not subject to reporting requirements of the Unite Subject to reporting requirements of United States				
CERCLA RQ	1000 lb			
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb			
butyl glycolether (111-76-2)				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	1 %			
ethylene glycol (107-21-1)				
Subject to reporting requirements of United States SARA Section 313				
CERCLA RQ	5000 lb			
SARA Section 313 - Emission Reporting	1 %			
tertiary-octylphenoxypoly(ethoxyethanol) (903	6-19-5)			

05/04/2022 EN (English US) 7/9

Rule, (40 CFR 711).

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### **CW16 - FOAMING BRUSH DETERGENT**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sulfuric acid (7664-93-9)

Listed as carcinogen on NTP (National Toxicology Program)

#### ethylene glycol (107-21-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

# di(tetramethylammonium)(29H,31H-phthalocyanin-N29,N30,N31,N32)disulfonamide disulfonate, cuprate(2-)complex, derivates (12222-04-7)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Polysorbate 20

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### 15.3. US State regulations

This product can expose you to ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

ethylene glycol (107-21-1	)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

#### Sodium hydroxide (1310-73-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### Dodecyl benzene sulfonic acid (27176-87-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### Sulfuric acid (7664-93-9)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### ETHYL BUTYRATE (105-54-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

Revision date : 04/25/2022 Other information : None.

05/04/2022 EN (English US) 8/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

Acute toxicity (dermal) Category 3
Acute toxicity (inhalation) Category 4
Acute toxicity (oral) Category 4
Hazardous to the aquatic environment - Acute Hazard Category 2
Hazardous to the aquatic environment - Acute Hazard Category 3
Serious eye damage/eye irritation Category 2B
Flammable liquids Category 4
Corrosive to metals Category 1
Skin corrosion/irritation Category 1
Skin corrosion/irritation Category 2

SDS US (GHS HazCom 2012) - Custom

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

05/04/2022 EN (English US) 9/9