# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 10/31/2011 Revision date: 07/06/2022 Supersedes: 04/21/2022 Version: 2.0



### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : DT40 -INTERIOR UPHOLSTERY CLEANER

Product code : DT40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Vehicle Interior Shampoo

1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin Sens. 1 May cause an allergic skin reaction

# 2.2. Label elements

### **GHS US labeling**

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : May cause an allergic skin reaction

Precautionary statements (GHS US)

Prevention : Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response : If on skin: Wash with plenty of water.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

# 2.3. Other hazards

### 2.4. Unknown acute toxicity (GHS US)

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures

07/06/2022 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Flexiclean CC-560G		3 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-(2-butoxyethoxy)ethanol	(CAS-No.) 112-34-5	1 – 3	Eye Irrit. 2A, H319
LAVANDULA HYBRIDA OIL	(CAS-No.) 8022-15-9	<1	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-	(CAS-No.) 106-24-1	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
Nerol	(CAS-No.) 106-25-2	<1	Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

	id measures

4.1.	Description	of first aid	measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Sand. All extinguishing media allowed. Adapt extinguishing media to the environment. Water

spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Keep upwind. Use personal

protective equipment (PPE). Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal protection".

07/06/2022 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional Ecological information.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Scoop absorbed substance into closing containers.

Other information

Dispose of contents/container to {0|message=<specify in accordance with local/regional/national/international regulations>|default=hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation|filter=^(\_)?DISPOSAL\_.+}. Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not handle until all safety precautions have been read and understood. Clean contaminated clothing. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong acids. Strong bases.
Incompatible materials : Sources of ignition. Direct sunlight.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Flexiclean CC-560G			
Not applicable			
2-(2-butoxyethoxy)ethand	ol (112-34-5)		
ACGIH	ACGIH OEL TWA [ppm]	10 ppm	
LAVANDULA HYBRIDA C	OIL (8022-15-9)	·	
Not applicable			
2,6-Octadien-1-ol, 3,7-din	2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (106-24-1)		
Not applicable			
Nerol (106-25-2)			
Not applicable			

## 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

07/06/2022 EN (English US) 3/9

# Safety Data Sheet

Odor threshold

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

pH : 6-8 pH solution : 1%

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density 1.00 : 8.37 lb/gal Density Solubility Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

## 9.2. Other information

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

07/06/2022 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity : Not classified

2-(2-butoxyethoxy)ethanol (112-34-5)	
LD50 oral rat	5660 mg/kg (Rat)
LD50 dermal rabbit	2764 mg/kg (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)
ATE US (oral)	5660 mg/kg body weight
ATE US (dermal)	2764 mg/kg body weight

2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	3600 mg/kg body weight

Skin corrosion/irritation : Not classified

pH: 6 - 8

Serious eye damage/irritation : Not classified

pH: 6 - 8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

2-(2-butoxyethoxy)ethanol (112-34-5)	
LC50 - Fish [1]	1300 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
EC50 - Crustacea [2]	> 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)

2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (106-24-1)	
LC50 - Fish [1]	> 9.8 mg/l (LC50; 96 h)

# 12.2. Persistence and degradability

2-(2-butoxyethoxy)ethanol (112-34-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.25 g O₂/g substance
Chemical oxygen demand (COD)	2.08 g O₂/g substance
ThOD	2.173 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.11

2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.9 g O <sub>2</sub> /g substance

07/06/2022 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

DT40 -INTERIOR UPHOLSTERY CLEANER		
Bioaccumulative potential	Not established.	
2-(2-butoxyethoxy)ethanol (112-34-5)		
BCF - Fish [1]	0.46 (BCF)	
Partition coefficient n-octanol/water (Log Pow)	0.56 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (106-24-1)		
Bioaccumulative potential	No bioaccumulation data available.	

## 12.4. Mobility in soil

2-(2-butoxyethoxy)ethanol (112-34-5)	
Surface tension	0.034 N/m (25 °C)

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Other information : No supplementary information available.

#### **Transportation of Dangerous Goods**

## Transport by sea

Marine pollutant

Air transport

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Acetaldehyde	CAS-No. 75-07-0	< 0.1%
Contains chemical(s) subject to TSCA 12b export notification if prod	duct is shipped outside the U.S	

	· , ,		
Acetaldehyde		CAS-No. 75-07-0	< 0.1%

07/06/2022 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	1 %	

n-Amyl acetate (628-63-7)		
Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ	5000 lb	

Formaldehyde (50-00-0)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	100 lb		
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb		
SARA Section 313 - Emission Reporting	0.1 %		
Methyl alcohol (67-56-1)			
Subject to reporting requirements of United Sta	ates SARA Section 313		
CERCLA RQ	5000 lb		
SARA Section 313 - Emission Reporting	1 %		
Ethylene oxide (75-21-8)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	10 lb		
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb		
Acetaldehyde (75-07-0)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	1000 lb		
SARA Section 313 - Emission Reporting	0.1 %		

### 15.2. International regulations

### **DT40 -INTERIOR UPHOLSTERY CLEANER**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Flexiclean CC-560G

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### Flexisperse 220

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

# Mentha Viridis (spearmint) extract (84696-51-5)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### Formaldehyde (50-00-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program) Listed on EPA Hazardous Air Pollutant (HAPS)

07/06/2022 EN (English US) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Methyl alcohol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

#### Ethylene oxide (75-21-8)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

### Acetaldehyde (75-07-0)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

### Dichloroacetic acid (79-43-6)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Formaldehyde (50-00-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	40 μg/day
Methyl alcohol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	
Ethylene oxide (75-21-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	2 μg/day
Acetaldehyde (75-07-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	90 μg/day
Dichloroacetic acid (79-	43-6)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	No	Yes	

# butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# Diphenyl oxide (101-84-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

07/06/2022 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### n-Amyl acetate (628-63-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

### Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### 1,7,7-trimethylnorcamphor (76-22-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

### Formaldehyde (50-00-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Methyl alcohol (67-56-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

### Ethylene oxide (75-21-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

### Acetaldehyde (75-07-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Dichloroacetic acid (79-43-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

## **SECTION 16: Other information**

Revision date : 07/06/2022 Other information : None.

## Full text of H-phrases:

t of 11 philadoc.		
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, category 1A	

#### SDS US (GHS HazCom 2012) - Custom

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

07/06/2022 EN (English US) 9/9