

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/01/1997 Revision date: 02/22/2022 Supersedes: 05/14/2020

SECTION 1: Identification 1.1. Identification Product form : Mixture Product name : CW51 - TRIPLE FOAM POLISH -BLUE Product code ÷ CW51 1.2. Recommended use and restrictions on use Use of the substance/mixture : Concentrated Clearcoat Polish **Supplier** 1.3. Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (800) 998-2808 www.skybluechemical.com **Emergency telephone number** 1.4. Emergency number : Chemtrec 1-800-424-9300 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Not classified 2.2. GHS Label elements, including precautionary statements **GHS US labeling** No labeling applicable 2.3. Other hazards which do not result in classification No additional information available Unknown acute toxicity (GHS US) 2.4. Not applicable **SECTION 3: Composition/Information on ingredients**

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
butyl glycolether	(CAS-No.) 111-76-2	3 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Isopropyl alcohol	(CAS-No.) 67-63-0	1 – 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
	by wath water tilse. Wash skin with pienty of water.

Version: 3.0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact	:	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. 	
First-aid measures after ingestion	:	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and effe	ects	acute and delayed)	
Potential Adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met.	
Symptoms/effects	:	Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Immediate medical attention and sp	pec	ial treatment, if necessary	
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguis		ig media	
Suitable extinguishing media		Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media		Do not use a heavy water stream.	
5.2. Specific hazards arising from the c	he	mical	
Hazardous decomposition products in case of fire		Toxic fumes may be released.	
5.3. Special protective equipment and p			
Firefighting instructions	:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release mea	ารเ	ires	
6.1. Personal precautions, protective ed	qui	pment and emergency procedures	
6.1.1. For non-emergency personnel			
Emergency procedures	:	Ventilate spillage area. Evacuate unnecessary personnel.	
6.1.2. For emergency responders			
Protective equipment	:	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures		Ventilate area.	
6.2. Environmental precautions Avoid release to the environment. See Section	10	for additional Easteriaal information	
		5	
6.3. Methods and material for containm	nen		
Methods for cleaning up		Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information		Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections			
	al pr	otection. For further information refer to section 13.	
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	:	Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.	
Hygiene measures	:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ling	any incompatibilities	
Storage conditions	:	Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.	
Incompatible products		Strong bases. Strong acids.	
02/22/2022		EN (English US) 2/8	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
CW51 - TRIPLE FOAM POLISH -BLUE			
No additional information available			
Isopropyl alcohol (67-63-0)			
USA - ACGIH - Occupational Exposure Limit	its		
Local name	2-Propanol		
ACGIH TWA (ppm)	200 ppm		
ACGIH STEL (ppm)	400 ppm		
Remark (ACGIH)	Eye & URT irr; CNS impair		
USA - OSHA - Occupational Exposure Limit	is		
Local name	Isopropyl alcohol		
OSHA PEL (TWA) (mg/m ³)	980 mg/m ³		
OSHA PEL (TWA) (ppm)	400 ppm		
butyl glycolether (111-76-2)			
USA - ACGIH - Occupational Exposure Limit	its		
Local name	2-Butoxyethanol (EGBE)		
ACGIH TWA (ppm)	20 ppm		
Remark (ACGIH)	Eye & URT irr		
USA - OSHA - Occupational Exposure Limits			
Local name	2-Butoxyethanol		
OSHA PEL (TWA) (mg/m³)	240 mg/m ³		
OSHA PEL (TWA) (ppm)	50 ppm		

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical	properties	
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: Blue	
Odor	: Bubble gum	
Odor threshold	: No data available	
рН	: 5-7	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 212 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 0.99 – 1.00	
Density	: 8.60 lb/gal	
Solubility	: Soluble in water.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
VOC content	· 82%	

VOC content

: 8.2 %

SECTION 10: Stability and reactivity	SECTION 10: Stability and reactivity			
0.1. Reactivity				
The product is non-reactive under normal conditio	ns of use, storage and transport.			
10.2. Chemical stability				
Stable under normal conditions.				
10.3. Possibility of hazardous reactions				
Not established.				
10.4. Conditions to avoid				
Direct sunlight. Extremely high or low temperature	S.			
10.5. Incompatible materials				
Strong acids. Strong bases.				
10.6. Hazardous decomposition products				
fume. Carbon monoxide. Carbon dioxide.				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (oral)	: Not classified			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	: Not classified			
Isopropyl alcohol (67-63-0)				
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl alcohol (67-63-0)	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
butyl glycolether (111-76-2)	<u>.</u>
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Not classified
	pH: 5 – 7
Serious eye damage/irritation	: Not classified
	pH: 5 – 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Isopropyl alcohol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Isopropyl alcohol (67-63-0)	
LC50 fish 1	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)
butyl glycolether (111-76-2)	
LC50 fish 1	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system,
EC50 Daphnia 1	Fresh water, Experimental value, Lethal) 1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
	system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	911 mg/l (72 Hr.)
12.2. Persistence and degradability	
CW51 - TRIPLE FOAM POLISH -BLUE	
Persistence and degradability	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl alcohol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.4 g O₂/g substance
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.2 g O₂/g substance
ThOD	2.305 g O₂/g substance
BOD (% of ThOD)	0.31

12.3. Bioaccumulative potential

CW51 - TRIPLE FOAM POLISH -BLUE		
Bioaccumulative potential	Not established.	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

Isopropyl alcohol (67-63-0)		
Surface tension	No data available (test not performed)	
Partition coefficient n-octanol/water (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	
Partition coefficient n-octanol/water (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal consideration	ns
13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Liquitint Royal Blue HF (L85012)	CAS-No.	1 – 3%
Quaternary Ammonium Compounds	CAS-No. Not Available	5 – 10%
Quarternary ammonium chloride compound	CAS-No.	< 1%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Isopropyl alcohol		CAS-No. 67-63-0	1 – 3%		
ethylene glycol		CAS-No. 107-21-1	< 0.1%		
Formaldehyde		CAS-No. 50-00-0	< 0.1%		
Methyl alcohol		CAS-No. 67-56-1	< 0.1%		
butyl glycolether (111-76-2)					
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				
ethylene glycol (107-21-1)					
Listed on EPA Hazardous Air Pollutant (HAPS)					
CERCLA RQ	5000 lb				
Formaldehyde (50-00-0)					
Listed on EPA Hazardous Air Pollutant (HAPS)					
CERCLA RQ	100 lb				
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb				
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb				
Methyl alcohol (67-56-1)					
Listed on EPA Hazardous Air Pollutant (HAPS)					
CERCLA RQ	5000 lb				
n-Amyl acetate (628-63-7)					
CERCLA RQ	5000 lb				
Ethyl acetate (141-78-6)					
CERCLA RQ	5000 lb				

15.2. International regulations

Formaldehyde (50-00-0)	
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)	

15.3. US State regulations

WARNING:

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Glycerol(56-81-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Isopropyl alcohol(67-63-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
butyl glycolether(111-76-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
ethylene glycol(107-21-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Formaldehyde(50-00-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Methyl alcohol(67-56-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List
n-Amyl acetate(628-63-7)	U.S New Jersey - Right to Know Hazardous Substance List
ETHYL BUTYRATE(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List
Ethyl propionate(105-37-3)	U.S New Jersey - Right to Know Hazardous Substance List
Ethyl acetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List
1-pentanol(71-41-0)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 02/22/2022

: None.

Revision date Other information

Full text of H-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

SDS US (GHS HazCom 2012)

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.